ELSEVIER

Analytica Chimica Acta 312 (1995) 355–357

ANALYTICA CHIMICA ACTA

Author Index

Alder, J.F., see Rezgui, N.D. 115
Anderegg, G., see Cukrowski, I. 307
Aparicio, R., see Calvente, J.J. 281
Arai, T., see Ito, N. 323
Arnold, C., see Bürgin Schaller, R. 95
Ashino, T.
— and Takada, K.
Determination of trace amounts of selenium and tellurium in nickel-based heat-resisting superalloys, steels and several metals by electrothermal atomic absorption spectrometry after reductive coprecipitation with palladium using ascorbic acid 157

Baker, J.G., see Rezgui, N.D. 115
Bellocq, J., see Matsuzawa, S. 165
Besson, C., see Rival, S. 213
Bi, Y., see Huang, B. 329
Budzinski, H., see Matsuzawa, S. 165
Bürgin Schaller, R.
—, Arnold, C. and Pretsch, E.
New parameters for predicting ^{1}H NMR chemical shifts of protons attached to carbon atoms 95
Butcher, J.A., see Tandler, P.J. 231

Calvente, J.J.
— and Aparicio, R.
A fuzzy filter for removing interferences among membership grade functions. An application to pre-treatment of data in olive oil authentication 281
Campisi, B.
—, Dugo, G., Cotroneo, A. and Favretto, L.
Chemometric analysis and extraction processes of mandarin essential oils 199
Casassas, E., see Grabarić, Z. 27
Chee, K.K.
—, Lan, W.G., Wong, M.K. and Lee, H.K.
Optimization of liquid chromatographic parameters for the separation of priority phenols by using mixed-level orthogonal array design 271
Chen, G.-Z., see Xie, J.-W. 337
Chen, Q., see Wang, J. 39
Cotroneo, A., see Campisi, B. 199
Cukrowska, E., see Cukrowski, I. 307
Cukrowski, I.
—, Cukrowska, E., Hancock, R.D. and Anderegg, G.
The effect of chelate ring size on metal ion size-based selectivity in polyamine ligands containing pyridyl and saturated nitrogen donor groups 307

De Beer, J., see Vander Heyden, Y. 245
Dela Rosa, A.M.
— and Kumakura, M.
Trapping method of antibodies on surfaces of polymerizing discs for enzyme immunoassay 85
Dugo, G., see Campisi, B. 199

Esteban, M., see Grabarić, Z. 27

Favretto, L., see Campisi, B. 199
Fujiwara, H., see Ito, N. 323
Furuno, K., see Katsu, T. 35

Garrigues, P., see Matsuzawa, S. 165
Gauglitz, G., see Yan, H.M. 1
Gomita, Y., see Katsu, T. 35
González, A.G.
— and González-Arjona, D.
Advantages of target factor analysis against multiple linear regression methods for testing model equations in linear free energy relationships 295
González-Arjona, D., see González, A.G. 295
Grabarić, B.S., see Grabarić, Z. 27
Grabarić, Z.
—, Grabarić, B.S., Esteban, M. and Casassas, E.
Signals ratio method for resolution enhancement in differential pulse polarography and related techniques 27
Greenway, G.M.
— and Wolfbauer, G.
On-line determination of vanadium by adsorptive stripping voltammetry 15

Hancock, R.D., see Cukrowski, I. 307
Harrington, P.B., see Tandler, P.J. 231
Hartmann, C., see Vander Heyden, Y. 245
Hernández-Cassou, S., see Saurina, J. 189
Hoogmartens, J., see Vander Heyden, Y. 245

Huang, B.
—, Yu, B., Li, P., Jiang, M., Bi, Y. and Wu, S.
Vitamin B_1 ion-selective microelectrode based on a liquid–liquid interface at the tip of a micropipette 329
Huang, W.-G., see Li, L.-D. 345
Hwang, C.-j., see Yang, H.-J. 141

Ignacio García Alonso, J.
Determination of fission products and actinides by inductively coupled plasma-mass spectrometry using isotope dilution analysis: a study of random and systematic errors 57
Ito, N.
—, Matsumoto, T., Fujiwara, H., Matsumoto, Y., Kayashima, S., Arai, T., Kikuchi, M. and Karube, I.
Transcutaneous lactate monitoring based on a micro-planar amperometric biosensor 323

Jiang, M., see Huang, B. 329
Jiang, S.-J., see Yang, H.-J. 141

Karlberg, B., see Karlsson, M. 107
Karlsson, M.
—, Karlberg, B. and Olsson, R.J.O.
Determination of nitrate in municipal waste water by UV spectroscopy 107
Karube, I., see Ito, N. 323
Katsu, T.
—, Furuno, K., Yamashita, S. and Gomita, Y.
Ion-selective electrode for procainamide determination in blood serum 35
Kayashima, S., see Ito, N. 323
Kikuchi, M., see Ito, N. 323
Kraus, G., see Yan, H.M. 1
Kumakura, M., see Dela Rosa, A.M. 85

Lan, W.G., see Chee, K.K. 271
Lau, O.-w.
—, Shao, B. and Zhang, W.
Evaluation of methods to minimize effects of liquid viscosity and density on the oscillating frequencies of thickness-shear-mode (TSM) piezoelectric resonators 217
Lee, H.K., see Chee, K.K. 271
Le Vent, S.
Simulation of chromatographic peaks by simple functions 263
Li, L.-D.
— and Huang, W.-G.
Room temperature phosphorescence properties of dansyl chloride and its derivatives 345
Li, P., see Huang, B. 329
Li, Z.
— and Rutan, S.C.
Solvatochromic studies of the surface polarity of silica under normal-phase conditions 127
Lovchinov, V., see Nedeltcheva, T. 227
Lu, C., see Xu, Y. 9
Luypaert, K., see Vander Heyden, Y. 245

Ma, Y., see Shi, H. 79, 79
Massart, D.L., see Vander Heyden, Y. 245
Matsumoto, T., see Ito, N. 323
Matsumoto, Y., see Ito, N. 323
Matsuzawa, S.
—, Garrigues, P., Budzinski, H., Bellocq, J. and Shimizu, Y.
Applicability of low temperature high-resolution fluorescence spectroscopy to the analysis of nitro and amino polycyclic aromatic hydrocarbons 165
Min, R.W.
—, Nielsen, J. and Villadsen, J.
Simultaneous monitoring of glucose, lactic acid and penicillin by sequential injection analysis 149

Nedeltcheva, T.
—, Simeonova, P. and Lovchinov, V.
Improved iodometric method for simultaneous determination of non-stoichiometric oxygen and total copper content in YBCO superconductors 227
Nedeltcheva, T.
Determination of oxygen stoichiometry in YBCO superconductors by spectrophotometry 223
Nie, L., see Xu, Y. 9
Nielsen, J., see Min, R.W. 149
Nishikawa, Y.
— and Okumura, T.
Determination of nitrobenzenes in river water, sediment and fish samples by gas chromatography–mass spectrometry 45

Okumura, T., see Nishikawa, Y. 45
Olsson, R.J.O., see Karlsson, M. 107

Pretsch, E., see Bürgin Schaller, R. 95

Rezgui, N.D.
—, Baker, J.G. and Alder, J.F.
Quantitative millimetre wave spectroscopy. Part II: Determination of working conditions in an open Fabry-Perot cavity 115
Rival, S.
—, Besson, C., Saulnier, J. and Wallach, J.M.
Use of conductimetry for the monitoring of thermodynamically-controlled enzymatic peptide synthesis 213
Rutan, S.C., see Li, Z. 127

Saulnier, J., see Rival, S. 213
Saurina, J.
—, Hernández-Cassou, S. and Tauler, R.
Continuous flow titration system for the generation of multivariate spectrophotometric data in the study of acid–base equilibria 189
Shao, B., see Lau, O.-w. 217
Shen, J., see Sun, C. 207
Shi, H.
—, Ma, Y. and Ma, Y.
A simple and fast method to determine and quantify urinary creatinine 79
Shimizu, Y., see Matsuzawa, S. 165
Si, S., see Xu, Y. 9
Simeonova, P., see Nedeltcheva, T. 227

Sun, C.
—, Sun, Y., Zhang, X., Xu, H. and Shen, J.
Selective potentiometric determination of copper(II) ions by use of a molecular deposition film electrode based on water-soluble copper phthalocyanine 207
Sun, Y., see Sun, C. 207

Takada, K., see Ashino, T. 157
Tandler, P.J.
—, Butcher, J.A., Tao, H. and Harrington, P.B.
Analysis of plastic recycling products by expert systems 231
Tao, H., see Tandler, P.J. 231
Tauler, R., see Saurina, J. 189
Tomiyasu, T.
Kinetic spectrophotometric determination of traces of tungsten(VI) by the catalytic reaction of chlorpromazine with hydrogen peroxide. A mechanistic study 179

Vander Heyden, Y.
—, Luypaert, K., Hartmann, C., Massart, D.L., Hoogmartens, J. and De Beer, J.
Ruggedness tests on the high-performance liquid chromatography assay of the United States Pharmacopeia XXII for tetracycline hydrochloride. A comparison of experimental designs and statistical interpretations 245
Villadsen, J., see Min, R.W. 149

Wallach, J.M., see Rival, S. 213
Wang, J.
— and Chen, Q.
Remote electrochemical biosensor for field monitoring of phenolic compounds 39
Wolfbauer, G., see Greenway, G.M. 15
Wong, M.K., see Chee, K.K. 271
Wu, S., see Huang, B. 329

Xie, J.-W.
—, Xu, J.-G. and Chen, G.-Z.
Study on strongly polarized water in AOT reversed micelles by fluorescence probes and analytical application of AOT reversed micelles 337
Xu, H., see Sun, C. 207
Xu, J.-G., see Xie, J.-W. 337
Xu, Y.
—, Si, S., Lu, C., Nie, L. and Yao, S.
Ammonia selective bulk acoustic wave sensor based on neutral ionophores 9

Yamashita, S., see Katsu, T. 35
Yan, H.M.
—, Kraus, G. and Gauglitz, G.
Detection of mixtures of organic pollutants in water by polymer film receptors in fibre-optical sensors based on reflectometric interference spectrometry 1
Yang, H.-J.
—, Jiang, S.-J., Yang, Y.-J. and Hwang, C.-j.
Speciation of tin by reversed phase liquid chromatography with inductively coupled plasma mass spectrometric detection 141
Yang, Y.-J., see Yang, H.-J. 141
Yao, S., see Xu, Y. 9
Yu, B., see Huang, B. 329

Zhang, W., see Lau, O.-w. 217
Zhang, X., see Sun, C. 207